DNV·GL

Certificate No: MEDB00002VC

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Non-combustible materials

with type designation(s) FireMaster Putty

Issued to Thermal Ceramics UK Ltd WIRRAL MERSEYSIDE, United Kingdom

is found to comply with the requirements in the following Regulations/Standards: Regulation (EU) 2017/306, item No. MED/3.13. SOLAS 74 as amended, Regulation II-2/3 II-2/5, II-2/9 & X/3, 2000 HSC Code 7 and IMO 2010 FTP Code

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2022-05-20**. Issued at **Høvik** on **2017-05-21**

DNV GL local station: Manchester

Approval Engineer: Helge Bjørnarå



Notified Body No.: **0575** for DNV GL AS

Vidar Dolonen Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005. The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written

NORWEGIAN ACCREDITATION PROD 019

Directive 2014/90/EU. This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with



Job Id: **344.1-007089-1** Certificate No: **MEDB00002VC**

Product description

FireMaster® Putty

is a pliable, low shrinkage, putty-like material that is supplied wet and premixed, ready for installation, composed of Superwool 607 HT low bio persistent fibre, organic polymers, inorganic binders and some other proprietary ingredients.

Application/Limitation

Approved for use as non-combustible material.

The product may be used as an integrated part of approved fire resisting divisions only when tested as such.

Density (wet/dry): 1200/513-577 kg/m³ Max. organic content (dry weight): 0.8%

Each product is to be supplied with its manual for installation and use.

Type Examination documentation

Test Report no. 15/10448-960 dated 27 May 2015 from LGAI Technological Center, S.A., Barcelona, Spain.

Tests carried out

Tested according to IMO 2010 FTP Code Part 1.

Marking of product

The product or packing is to be marked with name and address of manufacturer, type designation, MED Mark of Conformity and USCG approval number if applicable (see page 1).